

SAFETY DATA SHEET Product: Graphene Nanoplatelets.

(1) PRODUCT AND COMPANY IDENTIFICATION

Identification of the substance or preparation

TRADE/MATERIAL NAME:	Graphene Nanoplatelets
CHEMICAL NAME:	Graphene
SYNONYMS:	Few-layered graphene

This SDS is valid for the following Graphene Grades: Use of the substance/Preparation:

Graphene, Mono-layer, Few-layer

For laboratory research purposes only.

Green Graphene LLC 217 Walker Street Lexington, Virginia USA Phone No.: +1 540-705-1098

(2) HAZARDS IDENTIFICATION (EC)

GHS Classification Not available

Supplier:

GHS Label elements, including precautionary statements



Signal Word: Hazard Statements:

WHMIS Classification Not available Warning May form combustible dust concentrations in air.

MSDS Document Number Graphene-01

Product: Graphene Nanoplatelets

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). Classification of the substance or mixture: COMBUSTIBLE DUSTS

Precautionary statement(s):

Keep container tightly closed. Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Sanding and grinding dusts may be harmful if inhaled. Prevent dust accumulation. Emits toxic fumes when heated.

HMIS Classification Health hazard: 2 Flammability: 0 Physical hazards: 0 Potential Health Effects:

Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation. Ingestion May be harmful if swallowed.

Hazard codes: Xi

Risk Statements: R36/37/38

(3) COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	<u>CAS</u> NUMBER	PERCENT	EC NUMBER	EC CLASSIFICATION
<u>Synthetic</u> <u>Graphite</u>	7782-42-5	90-100	231-955-3	Xi R36/37/38
<u>Trace</u> impurities	Not available	e 0-1	Not available	Not available

Product: Graphene Nanoplatelets

(4) FIRST AID MEASURES

	Increased in the first second the and the annual by including sound as the sound in the share warries
Eye contact:	 Immediately flush eyes gently and thoroughly, including under the eyelids, with clean running water for 20 minutes.
Skin contact:	Wash thoroughly with soap and water. Seek medical attention. Remove victim to fresh air. Restore and/or support breathing as needed. Seek medical
Inhalation:	attention.
Ingestion:	Call poison control centre. Never give anything by mouth to someone is unconscious or convulsing. Seek medical attention.

(5) FIRE-FIGHTING MEASURES			
Suitable extinguishing media:	Water fog, carbon dioxide, dry chemical, foam.		
Decomposition products:	Carbon monoxide, carbon dioxide and metal oxide		
Special protective equipment for W fighters:	ear self-contained breathing apparatus if the fire is large. <u>fire-</u>		

(6) ACCIDENTAL RELEASE MEASURES

Personal precautions: v	Wear protective equipment. Keep unprotected persons away. Ensure adequate entilation. Keep away from ignition sources. Prevent the formation of dust-air mixture.
Environmental precautions:	Keep spilt material away from drains and runoff, ground-water and soil.
Methods for clean-up:	Collect spilled material using a vacuum with HEPA filter. Avoid formation of dust.

	(7) HANDLING AND STORAGE		
	Ensure good ventilation of the workplace. Avoid dust formation. Keep powder		
<u>Handling</u> :	away		
	from open flames and other sources of ignition. Keep work areas clean and free of		
	waste. Avoid contact with skin and eyes.		
Storage:	Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed		
	until ready for use. Avoid all possible sources of ignition (spark or flame). Store away		
	from strong oxidizing and reducing agents.		

Product: Graphene Nanoplatelets

(8) EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values:	Occupational Safety and Health Administration Permissible		
	Exposure Limit (OSHA PEL; United States).		
	Time Weighted Average (TWA): 5 mg/m ³ Form: Respirable		
	TWA: 10 mg/m ³		
	American Conference of Governmental Industrial Hygienists Threshold Limit Value (ACGIH TLV; United States, 4/2014).		
	TWA: 2 mg/m ³ 8 hours. Form: Respirable fraction OSHA PEL Z3 (United States, 2/2013) according to		
	OSHA 29CFR 1910.1200 Subpart Z - Toxic and Hazardous Substances TWA: 15 mppcf 8 hours.		
Occupational exposure	Install and operate general and/or local exhaust ventilation systems of sufficient power		
controls:	to maintain airborne concentration below the defined or recommended limit. If		
	possible, manipulate under fume hood to avoid exposure.		
	Use a properly fitted, air-purifying or air-fed respirator complying with an		
Respiratory protection:	approved		
	standard, such as NIOSH (US) or EN 143 (EU). Respirator selection must be		
	based on known or anticipated exposure levels, the hazards of the material, and the safe working limits of the selected respirator. For little exposure, use type P95 (NIOSH) or type P1 (EN 143) respirators. For high exposure, use type P99 (NIOSH) or type P2 (EN 143) respirators. For further details, please consult the following ISO documents <u>ISO/TS 12901-1:2012:</u> Occupational risk management applied to engineered nanomaterials Part 1: Principles and approaches, as		
	well		
	as <u>ISO/TS 12901-</u> Occupational risk management applied to <u>2:2014</u> : engineered		
	nanomaterials Part 2: Use of the control banding approach.		
Hand protection:	Handle with protecting gloves. Wash and dry hands after manipulation.		
Eve protection	Wear safety glasses conforming to an approved standard, such as NIOSH (US) or		
Eye protection:	EN 166 (EU).		
	Wear protective clothing to prevent contact with skin. The type of clothing must		
Skin protection:	depend		
<u></u>	on the level of exposure to the product.		

Product: Graphene Nanoplatelets

(9) PHYSICAL AND CHEMICAL PROPERTIES			
General			
Information:	Appearance – black powder		
	Odor – None		
Important health, safety an	d environmental information:		
pH:	Not applicable.		
Boiling point:	Not available.		
Flash point:	Not available.		
Explosive properties:	Not available.		
Oxidising properties:	Not expected.		
Vapour pressure:	Not applicable.		
Relative density:	Not available.		
Solubility:	Not available.		
Water solubility:	Insoluble.		
Partition coefficient:	Not applicable.		
Viscosity:	Not applicable.		
Vapour density:	Not applicable.		
Evaporation rate:	Not applicable.		
Other Information:			
Melting point:	3652 – 3697 °C		
	(10) STABILITY AND REACTIVITY		
This product is stable under normal storage conditions.			

Conditions to avoid:Ignition source.Materials to avoid:Oxidizing and reducing agents.Hazardous decomposition
products:Under fire conditions: carbon monoxide and carbon dioxide.

Product: Graphene Nanoplatelets

(11) TOXICOLOGICAL INFORMATION

This product contains engineered nanoparticles which have structural features with at least one dimension of 100 nanometers or less.

Acute toxicity:

Irritant effect on skin: Irritant effect on the	Skin contact with graphene powder may cause irritation. Eye contact has shown irritation.
eye: Respiratory or skin sensitization:	Graphene powder may cause skin sensitization.
Inhalation Ingestion	Inhalation can cause irritation. May be harmful if swallowed.

(12) ECOLOGICAL INFORMATION

No known significant effects or critical hazards.

(13) **DISPOSAL CONSIDERATIONS**

The generation of waste should be avoided or minimized whenever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, and any by-product should at all times comply with the requirements of environmental protection and waste disposal legislation and any national, regional and local authority requirements.

Product: Graphene Nanoplatelets

(14) TRANSPORT INFORMATION

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

(15) REGULATORY INFORMATION

EU REGULATIONS

Hazard Symbol:



Xi

Irritant

<u>Risk phrases</u> :	R36/37/38	Irritating to eyes, respiratory system and skin.
Safety phrases:	S7	Keep container tightly closed. Do not breathe
	S22	dust.
	S29	Do not empty into drains.
	S36/37/39	Wear suitable protective clothing such as a Tyvek suit with a

hood, nitrile gloves and eye/face protection such as goggles. Wearing a positive atmosphere personal respirator (PAPR) equipped with P100 air filters is recommended.

CANADIAN REGULATIONS

WHMIS Classification:

Class D2B Toxic material causing other toxic effects

Moderate eye irritant Moderate respiratory irritant

WHMIS Symbol:



Product: Graphene Nanoplatelets

(16) OTHER INFORMATION

. . .

NFPA Classification:

Not		
ava	ilab	le.

.

Full Text of R-phrases in Section 2 & 3:

	R36/37/38	Irritating to eyes, respiratory system and skin.
Full Text of classification in Section 2 & 3:	Xi	Irritant
Date of Issue:	March, 2017	
Version:	1	
Date of previous issue:	March, 2017	

Notice:

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The information contained herein was not obtained from toxicology assays using our graphene but gathered from literature.